大学 大学の世界を明 に いっこう

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

A Pipe filtings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: eli types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vassels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE DE CONSTRUCTION	NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADO
PLANT LOCATIONS: SAA CATEGORY OF ITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Plop filtings, including couplings, test, elbows, Ys, plugs, unions, pipe caps, or reducers ASME 816.48	MANUFACTURERS NAME:	Vengeance Oilfield Pro	oducts Inc.	
PLANT LOCATIONS: SAA CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE OME CATEGORY ONLY A Ploy filings, including couplings, tess, elbows, Ys, pluys, unlors, pipe caps, or reducers A Ploy filings, including couplings, tess, elbows, Ys, pluys, unlors, pipe caps, or reducers C Valves: all line valves C Valves: all line valves E Striahers, filters, separation, and steam traps C Striahers, filters, separation, and steam traps E Striahers, filters, separation, and steam traps C Evalves: all line valves E Striahers, filters, separation, and steam traps C Striahers, filters, separation, and steam traps C Striahers, separation, and steam traps C Striahers, filters, separation, part of the separation of the	MANUFACTURERS ADDRESS	9535 - 63 Ave NW, Ed	monton, AB T6E 0G2	
A Pipe fillings, including couplings, tees, aboves, Ys, plugs, unlone, pipe caps, or reducers B Flangers: all fine values C Valves: all line values Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies: all types Expension plains, finable connections, and hose assemblies as primary over pressure protection on biodies, pressure pro		SAA		
D Expansion Joints, Resible connections, and hace assemblies: all types E Strainers, filters, espanation, and steam taps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure promisers G Certified capacity-rated pressure related devices acceptable as primary over pressure protection on bottlers, pressure vascals, piping and fusible pulge. Notes remoments: Class -10 Class -2 Class 3 D. (Meeting CNSC or ASME requirements) NOVEM MANUFACTURERS NAME. TRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT PROPERTY OF Vengeance NOVEM MANUFACTURERS NAME. TRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT PROPERTY OF Vengeance NOVEM MANUFACTURERS NAME. TRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT PROPERTY OF Vengeance Classing or Wester of Vengeance Classing or Wester of Vengeance Classing or Wester of Vengeance Classing or Vengeance Classin	A Pipe filtings, including coupling B Flanges: all flanges	NGS TO BE REGISTERI ps, lees, elbows, Ys, pluç	ED. CIRCLE ONE CATEGORY ONLY is, unions, pipe caps, or reducers	TITLE OF THE STANDARD OF CONSTRU ASME B16.48
M Nuclear components: Class 1 Class 2 Class 3 D. (Meeting CNSC of ASME requirements) MOVEMANUPACTURERS NAME_TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT PAGE OF WEADON TO PRESSIVE CONTROL OF THE ACTUAL ITEMS TO BE REGISTERED: CLARATION: (International Control	Expansion joints, flexible connict Strainers, filters, separators, at Measuring devices, including pressure transmitters Certified capacity-rated pressure bollers, pressure vassels, ploin	id sleam traps ressure gauges, level ga re relief devices acceptal o and fusible pluce	uges, sight glasses, levels, or ole as primary over pressure protection on	
This space of Regulatory Authority use This registration must be revalidated after ten (10) years from the space of acceptance. **CLARATION:** **CLARATION:	N Nuclear components: Class 1	Close 2 C. Close 5 C.	of the above categories	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: **CCLARATION:* driban Librit Just	SHOW MANUFACTURERS NAME	Class 2 L Class 3 L	, (Meeting CNSC or ASME requirements)	
CCLARATION: diaan Light Issa rais 3) employed by Venocance Olifield Products and being the person having full authority promisibility for the quality of the end product do solemnity declare that the information contained in this form is true and to the best person best filters in the regulation is sought. The dimensions, materials of construction, pressure undacture of these filtings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who part and has been verified by ABSA AOP (Pendino) as being suitable for that purpose and, I make this solemn aration conscientiously believing to be Jrue, and knowing that it is of the same force and effect as if made under oath. SET ELIZABETH SAUNDERS Commissioner of Oaths AD 2019 This space for Regulatory Authority use	VOP, Vengeance	TRADEMARK, UK LO	GO AS IT WILL APPEAR ON THE PRODUCT	FORGED D WELDED D WROUGHT D
prisant Light [sea note 3) employed by Venoeance Ollifield Products and being the person having full authority on solid product do solemnly declare that the information contained in this form is true and to the best product for which registration is sought. The dimensions, malerials of construction, pressure presents the product for which registration is sought. The dimensions, malerials of construction, pressure unfacture ratings, and identification markings are in accordance with the herein named standards. I further declare that the unfacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and. I make this solemn aration conscientiously believing it to be rue, and knowing that it is of the same force and effect as if made under oath. AD 2019 If It is space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. If It is supported with two Statutory Declaration and one copy of supporting documentation. The BOILER AND PRESSLATE UNDER THE AUTHORITY OF THE BOILER AND PRESSLATE C.R.N. C.B.I. 2.2.75	IST OF SUPPORTING DOCUME 'engeance Catalogue (Steel Line E	NTATION AND IDENTIF	ICATION OF THE ACTUAL ITEMS TO BE RE (Bleed Rings)	GISTERED:
prisant Light [sea note 3) employed by Venoeance Ollifield Products and being the person having full authority on solid product do solemnly declare that the information contained in this form is true and to the best product for which registration is sought. The dimensions, malerials of construction, pressure presents the product for which registration is sought. The dimensions, malerials of construction, pressure unfacture ratings, and identification markings are in accordance with the herein named standards. I further declare that the unfacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and. I make this solemn aration conscientiously believing it to be rue, and knowing that it is of the same force and effect as if made under oath. AD 2019 If It is space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. If It is supported with two Statutory Declaration and one copy of supporting documentation. The BOILER AND PRESSLATE UNDER THE AUTHORITY OF THE BOILER AND PRESSLATE C.R.N. C.B.I. 2.2.75			•	
diaan Light [1882 188				
prisant Light [sea note 3) employed by Venoeance Ollifield Products and being the person having full authority on solid product do solemnly declare that the information contained in this form is true and to the best product for which registration is sought. The dimensions, malerials of construction, pressure presents the product for which registration is sought. The dimensions, malerials of construction, pressure unfacture ratings, and identification markings are in accordance with the herein named standards. I further declare that the unfacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and. I make this solemn aration conscientiously believing it to be rue, and knowing that it is of the same force and effect as if made under oath. AD 2019 If It is space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. If It is supported with two Statutory Declaration and one copy of supporting documentation. The BOILER AND PRESSLATE UNDER THE AUTHORITY OF THE BOILER AND PRESSLATE C.R.N. C.B.I. 2.2.75				
prisant Light [sea nete 3) employed by Venoeance Olifield Products and being the person having full authority on solutions being the person having full authority of the end product do solemnly declare that the information contained in this form is true and to the best person that the product for which registration is sought. The dimensions, materials of construction, pressure unacture of these fittings, and identification markings are in accordance with the herein named standards. I further declare that the unacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and I make this solemn aration conscientiously believing to be real and knowing that it is of the same force and effect as if made under oath. AD 2019 This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. If fittings shall be registered in the name of the Manufacturer. It is calculated by the person having full authority and another of the category shall be supported with two Statutory Declaration and one copy of supporting documentation. If fittings shall be registered in the name of the Manufacturer. It is calculated after the category shall be supported with two Statutory Declaration and one copy of supporting documentation. If the person the pulling of the end product. Institute of the category shall be supported with two Statutory Declaration and one copy of supporting documentation. If the person the pulling of the end product. Institute of the category shall be supported with two Statutory Declaration and one copy of supporting documentation. If the person the person the pulling of the end product. Institute of the category shall be supported with two Statutory Declaration and one copy of supporting documentation.				
diaan Light [1882 188	•			
diaan Light [1882 188				
ponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure perature ratings, and identification markings are in accordance with the herein named standards. I further declare that the number of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and I make this solemn aration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Lead of DI AD 2019 This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the oate of acceptance. Lead of Commissioner of Oaths This registration must be revalidated after ten (10) years from the oate of acceptance. No DB17275.2 Lead of Commissioner of Oaths This registration must be revalidated after ten (10) years from the oate of acceptance. No DB17275.2 Lead of the Manufacturer. And Commissioner of Oaths of the Manufacturer of the Manufacturer of the Commissioner of Oaths of the Supported with two Sistutory Declaration shall be made by the person having full authority and nashily or the quality of the end product. Lead on ecopy of supporting documentation. Lead on ecop	CLARATION:			
knowledge represents the product for which registration is sought. The dimensions, malerials of construction, pressure perature ratings, and identification markings are in accordance with the herein named standards. I further declare that the part and has been verified by ABSA AOP (Pendino) I part and has been verified by ABSA AOP (Pendino) I part and has been verified by ABSA AOP (Pendino) I part and has been verified by BASA AOP (Pendino) I part and has been part and has been part and has been part and has been part and has be	ariaan Lioht	(see note 3) employed	by Vengeance Olifield Products and hele	of the nerson bester to the
perature ratings, and identification markings are in accordance with the herein named standards. I further declare that the undacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and I make this solemn aration conscientiously believing to be rue, and knowing that it is of the same force and effect as if made under oath. atture of Declarer: ared before me at CDMONTON USET ELIZABETH SAUNDERS AD 2019 Q COMMISSIONER FOR IOATHS IN AND FOR THE PROVINCE OF ALBERTA MY COMMISSION EXPIRES DEC. 18, 2004 This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the vale of acceptance. If illings shall be registered in the name of the Manufacturer. In the category shall be supported with two Statutory Declaration and one copy of supporting documentation. The declaration shall be made by the person having full authority and noisibility for the quality of the end product. The programs shall be resubmitted for validation assimum interval of five (5) years.	considility for the quality of the	end product do solem	nly declare that the information contained	In this form is true and to the back
autacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who as being suitable for that purpose and I make this solemn aration conscientiously believing to be true, and knowing that it is of the same force and effect as if made under oath. atture of Declarer: ared before me at CDMONTON This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the sate of acceptance. The BOILER AND PRESSLUPE REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSLUPE WESSEL ACT C.R.N. OBIT 275.2 Second 19 of the purporting documentation. The polity for the quality of the end product. Particularly control programs shall be resubmitted for validation interval of five (5) years.	Derature rations, and Identified	llan markings are to	o configurations' watchigi	or construction, pressure
aration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under path. atture of Declarer: ared before me at CDMONTON AD 2019 This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the pate of acceptance. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the pate of acceptance. The province of ALBERTA MY COMMISSION EXPIRES DEC. 18, 2000 19 This registration must be revalidated after ten (10) years from the pate of acceptance. The province of ALBERTA MY COMMISSION EXPIRES DEC. 18, 2000 19 This registration must be revalidated after ten (10) years from the pate of acceptance. The BOILER AND PRESSURE VESSEL ACT C.R.N. DB/7273. SIGNED THE MOILER AND PRESSURE C.R.N. DB/7273. SIGNED THE MOILER AND PRESSURE C.R.N. DB/7273. SIGNED	rufacture of these fittings is req	ulated by a Quality Co	columnics with the nerein named standar	ds. I further declare that the
ature of Declarer: ared before me at C MONTON	part and has been verified by	ABSA AOP (Pendino)	as being suitable for that	nt where fabrication occurs in who purpose and I make this solemn
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This shall be registered in the name of the Manufacturer. It can be capted with two Statutory Dectaration and one copy of supporting documentation. If the quality of the quality of the end product. This pace for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. The province of ALBERTA MY COMMISSION EXPIRES DEC. 18, 2000 19 This registration must be revalidated after ten (10) years from the date of acceptance. The province of ALBERTA MY COMMISSION EXPIRES DEC. 18, 2000 19 This registration must be revalidated after ten (10) years from the date of acceptance. The BOILER AND PRESSURE VESSEL ACT C.R.N. OBIJ 2.75.25 SIGNED THE BOILER AND PRESSURE C.R.N. OBIJ 2.75.25 SIGNED		ight to be irde, and kn	lowing that it is of the same force and effe	ct as if made under oath.
This space for Regulatory Authority use This registration must be revalidated after ien (10) years from the case of acceptance. If fillings shall be registered in the name of the Manufacturer. and one copy of supporting documentation. Be declaration shall be made by the person having full authority and noisbility for the quality of the end product. In additional control programs shall be resubmitted for validation araximum interval of five (5) years.		i yri		
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. If ittings shall be registered in the name of the Manufacturer. and one copy of supporting documentation. If ittings shall be made by the person having full authority and naibility for the quality of the end product. Itality control programs shall be resubmitted for validation attainment interval of five (5) years.	ared before me at $\underline{\mathcal{C}D}$	MONTON	USETHAS	Ser Coal Minero
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. If the category shall be registered in the name of the Manufacturer. In the category shall be supported with two Statutory Dectaration and one copy of supporting documentation. If the category shall be made by the person having full authority and insibility for the quality of the end product. Inality control programs shall be resubmitted for validation eaximum interval of five (5) years.	day of	AD <u>20</u>	ELIZA	ISIONER FOR OATHS IN AND
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. If it it ings shall be registered in the name of the Manufacturer. and category shall be supported with two Statutory Declaration is and one copy of supporting documentation. In this space for Regulatory Authority and one copy of supporting documentation. It is and one copy of supporting documentation. It is an acceptance of supporting documentation. It is a space for Regulatory Authority use This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. It is the registered in the name of the Manufacturer. The BOILER AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT C.R.N. OBIJ 2.75. SIGNED SIGNED	missioner of Oaths		FOR TH	E PROVINCE OF ALBERTA
This registration must be revalidated after ten (10) years from the date of acceptance. 1: 0B17275.2 1: 15735 Northwest Territories REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT Insibility for the quality of the end product. Itality control programs shall be resubmitted for validation eaximum interval of five (5) years.	plary Public: (sign)	shoth the	MY COMM	ission expires dec. 18, 20049
It is a shall be registered in the name of the Manufacturer. It is a shall be registered in the name of the Manufacturer. It is and one copy of supporting documentallon, and one copy of supporting documentallon, and one copy of supporting documentallon. It is a shall be made by the person having full authority and insibility for the quality of the end product. It is a statement of the five (5) years. In a statement of the supporting documental of the person having full authority and insibility for the quality of the end product. It is a statement of the supporting documental of the s	This registr	This spa	ce for Regulatory Authority use	accentance
REGISTERED JIttings shall be registered in the name of the Manufacturer. In this shall be registered in the name of the Manufacturer. In this shall be supported with two Statutory Declaration and one copy of supporting documentation. In the BOILER AND PRESSLARE VESSEL ACT C.R.N. OBI2275. SHONED			3	
calc category shall be supported with two Statutory Declaration and one copy of supporting documentation. The BOILER AND PRESSLACT or the quality of the end product. Table control programs shall be resubmitted for validation examinum interval of five (5) years.	-		 	Pitibous \
ality control programs shall be resubmitted for validation aximum interval of five (5) years.	fillings shall be registered in the rich category shall be supported will and one copy of supporting docur	ih iwo Sistulory Declara Benjalion	THE BOILER	AUTHORITY OF
DATE (66) 1 7019 1 06/2003	nsibility for the quality of the end prairies on the research programs shall be res	roduet.	GR.N. OBIZ	278.25
			DATE JES	7019 1 06/2003